

	Type	Ref #	Hits	Search Text	DBs
1	BRS	S1	1101	429//42	US-PGPUB; USPAT; USOCR
2	BRS	S2	1	S1 and (curent same collector) and filler and graphite	US-PGPUB; USPAT; USOCR
3	BRS	S3	555	429//122	US-PGPUB; USPAT; USOCR
4	BRS	S4	0	S3 and (curent same collector) and filler and graphite	US-PGPUB; USPAT; USOCR
5	BRS	S5	637	429//121	US-PGPUB; USPAT; USOCR
6	BRS	S6	0	S5 and (curent same collector) and filler and graphite	US-PGPUB; USPAT; USOCR
7	BRS	S7	807	429//232	US-PGPUB; USPAT; USOCR
8	BRS	S8	0	S7 and (curent same collector) and filler and graphite	US-PGPUB; USPAT; USOCR
9	BRS	S9	768	429//231.8	US-PGPUB; USPAT; USOCR
10	BRS	S10	0	S9 and (curent same collector) and filler and graphite	US-PGPUB; USPAT; USOCR
11	BRS	S11	0	(fuel adj cell\$2) and (curent same collector) and filler and graphite	US-PGPUB; USPAT; USOCR
12	BRS	S12	38	S1 and (current same collector) and filler and graphite	US-PGPUB; USPAT; USOCR
13	BRS	S13	17	S1 and (current same collector) and filler and (graphite same fiber\$2)	US-PGPUB; USPAT; USOCR
14	BRS	S14	9	S1 and (current same collector) and filler and (graphite same fiber\$2) and mold\$3	US-PGPUB; USPAT; USOCR
15	BRS	S15	3	S3 and (current same collector) and filler and (graphite same fiber\$2) and mold\$3	US-PGPUB; USPAT; USOCR

	Type	Ref #	Hits	Search Text	DBs
16	BRS	S16	0	S5 and (current same collector) and filler and (graphite same fiber\$2) and mold\$3	US-PGPUB; USPAT; USOCR
17	BRS	S17	28	S7 and (current same collector) and filler and (graphite same fiber\$2) and mold\$3	US-PGPUB; USPAT; USOCR
18	BRS	S18	12	S9 and (current same collector) and filler and (graphite same fiber\$2) and mold\$3	US-PGPUB; USPAT; USOCR
19	BRS	S19	155	(fuel ajd cell\$2) and (current same collector) and filler and (graphite same fiber\$2) and mold\$3	US-PGPUB; USPAT; USOCR
20	BRS	S20	30	(fuel ajd cell\$2) and (current same collector) and filler and (graphite same fiber\$2) and mold\$3 and (collector same plate\$2) and (mold\$3 same inject\$4)	US-PGPUB; USPAT; USOCR
21	BRS	S21	0	(fuel ajd cell\$2) and (current same collector) and filler and (graphite same fiber\$2) and mold\$3 and (collector same plate\$2) and (mold\$3 same inject\$4) and (powder\$2 same plastic\$2 same fiber\$2)	US-PGPUB; USPAT; USOCR
22	BRS	S22	10	(fuel ajd cell\$2) and (current same collector) and filler and (graphite same fiber\$2) and mold\$3 and (collector same plate\$2) and (mold\$3 same inject\$4) and (powder\$2 same polymer\$2 same fiber\$2)	US-PGPUB; USPAT; USOCR
23	BRS	S23	1	10/603364	US-PGPUB; USPAT; USOCR
24	BRS	S24	2672	429//34	US-PGPUB; USPAT; USOCR

	Type	Ref #	Hits	Search Text	DBs
25	BRS	S25	192	S24 and (Separator endplate biplate plate collector interconnect\$3 Bipolar support) and (graphite powder\$2 particle\$2 fibre\$2 filler\$2) and (plastic polymer\$2) and surface and mold\$3 and (machining grind\$3 sand\$3 polish\$3)	US-PGPUB; USPAT; USOCR
26	BRS	S26	105	S24 and (Separator endplate biplate plate collector interconnect\$3 Bipolar support) and (graphite same (powder\$2 particle\$2 fibre\$2 filler\$2)) and (plastic polymer\$2) and surface and mold\$3 and (machining grind\$3 sand\$3 polish\$3)	US-PGPUB; USPAT; USOCR
27	BRS	S27	131	S24 and (Separator endplate biplate plate collector interconnect\$3 Bipolar support) and ((graphite same (powder\$2 and fibre\$2) particle\$2 filler\$2)) and (plastic polymer\$2) and surface and mold\$3 and (machining grind\$3 sand\$3 polish\$3)	US-PGPUB; USPAT; USOCR
28	BRS	S40	62	S32 and (Separator endplate biplate plate collector interconnect\$3 Bipolar support) and ((graphite same (powder\$2 and fibre\$2) particle\$2 filler\$2)) and (plastic polymer\$2) and surface and mold\$3 and (machining or machined) and (machined or machining grind\$3 sand\$3 polish\$3) and thick\$4	US-PGPUB; USPAT; USOCR
29	BRS	S41	1916	H01M002/00	EPO; JPO; DERWENT

	Type	Ref #	Hits	Search Text	DBs
30	BRS	S33	4	S32 and (Separator endplate biplate plate collector interconnect\$3 Bipolar support) and ((graphite same (powder\$2 and fibre\$2) particle\$2 filler\$2)) and (plastic polymer\$2) and surface and mold\$3 and (machining or machined) and (machined or machining grind\$3 sand\$3 polish\$3) and thick\$4 and (machin\$4 same resistivity)	US-PGPUB; USPAT; USOCR
31	BRS	S37	0	S36 and (Separator endplate biplate plate collector interconnect\$3 Bipolar support) and ((graphite same (powder\$2 and fibre\$2) particle\$2 filler\$2)) and (plastic polymer\$2) and surface and mold\$3 and (machining or machined) and (machined or machining grind\$3 sand\$3 polish\$3) and thick\$4 and (machin\$4 same resistivity)	US-PGPUB; USPAT; USOCR
32	BRS	S42	0	S41 and (Separator endplate biplate plate collector interconnect\$3 Bipolar support) and ((graphite same (powder\$2 and fibre\$2) particle\$2 filler\$2)) and (plastic polymer\$2) and surface and mold\$3 and (machining or machined) and (machined or machining grind\$3 sand\$3 polish\$3) and thick\$4	US-PGPUB; USPAT; USOCR
33	BRS	S43	12430	H01M002/02	EPO; JPO; DERWENT

	Type	Ref #	Hits	Search Text	DBs
34	BRS	S28	120	S24 and (Separator endplate biplate plate collector interconnect\$3 Bipolar support) and ((graphite same (powder\$2 and fibre\$2) particle\$2 filler\$2)) and (plastic polymer\$2) and surface and mold\$3 and (machining grind\$3 sand\$3 polish\$3) and thick\$4	US-PGPUB; USPAT; USOCR
35	BRS	S45	0	S43 and (Separator endplate biplate plate collector interconnect\$3 Bipolar support) and ((graphite same (powder\$2 and fibre\$2) particle\$2 filler\$2)) and (plastic polymer\$2) and surface and mold\$3 and (machined or machining grind\$3 sand\$3 polish\$3) and thick\$4	US-PGPUB; USPAT; USOCR
36	BRS	S44	0	S43 and (Separator endplate biplate plate collector interconnect\$3 Bipolar support) and ((graphite same (powder\$2 and fibre\$2) particle\$2 filler\$2)) and (plastic polymer\$2) and surface and mold\$3 and (machining or machined) and (machined or machining grind\$3 sand\$3 polish\$3) and thick\$4	US-PGPUB; USPAT; USOCR
37	BRS	S46	2368	H01M002/14	EPO; JPO; DERWENT

	Type	Ref #	Hits	Search Text	DBs
38	BRS	S48	0	S43 and (Separator endplate biplate plate collector interconnect\$3 Bipolar support) and ((graphite same (powder\$2 and fibre\$2) particle\$2 filler\$2)) and (plastic polymer\$2) and surface and mold\$3 and (machining or machined) and (machined or machining grind\$3 sand\$3 polish\$3) and thick\$4	EPO; JPO; DERWENT
39	BRS	S47	0	S41 and (Separator endplate biplate plate collector interconnect\$3 Bipolar support) and ((graphite same (powder\$2 and fibre\$2) particle\$2 filler\$2)) and (plastic polymer\$2) and surface and mold\$3 and (machining or machined) and (machined or machining grind\$3 sand\$3 polish\$3) and thick\$4	EPO; JPO; DERWENT
40	BRS	S49	0	S43 and (Separator endplate biplate plate collector interconnect\$3 Bipolar support) and ((graphite same (powder\$2 and fibre\$2) particle\$2 filler\$2)) and (plastic polymer\$2) and surface and mold\$3 and (machined or machining grind\$3 sand\$3 polish\$3)	EPO; JPO; DERWENT

	Type	Ref #	Hits	Search Text	DBs
41	BRS	S50	0	S41 and (Separator endplate biplate plate collector interconnect\$3 Bipolar support) and ((graphite same (powder\$2 and fibre\$2) particle\$2 filler\$2)) and (plastic polymer\$2) and surface and mold\$3 and (machined or machining grind\$3 sand\$3 polish\$3)	EPO; JPO; DERWENT
42	BRS	S51	993	H01M004/00	EPO; JPO; DERWENT
43	BRS	S52	0	S51 and (Separator endplate biplate plate collector interconnect\$3 Bipolar support) and ((graphite same (powder\$2 and fibre\$2) particle\$2 filler\$2)) and (plastic polymer\$2) and surface and mold\$3 and (machined or machining grind\$3 sand\$3 polish\$3)	EPO; JPO; DERWENT
44	BRS	S54	0	S53 and plate and current and mold\$3 and graphite and fibre and filler and powder	EPO; JPO; DERWENT
45	BRS	S55	0	S53 and plate and current and mold\$3 and graphite and fibre and filler and powder	USPAT
46	BRS	S56	0	S53 and mold\$3 and graphite and fibre and filler and powder	USPAT
47	BRS	S57	0	S53 and mold\$3 and graphite and powder and fiber	USPAT
48	BRS	S53	1	"6451471".pn.	EPO; JPO; DERWENT
49	BRS	S58	1	"6451471".pn.	USPAT
50	BRS	S59	31452	"1" and graphite and fiber	USPAT
51	BRS	S60	1	S58 and graphite and fiber	USPAT
52	BRS	S61	1	S58 and graphite and fiber and powder	USPAT

	Type	Ref #	Hits	Search Text	DBs
53	BRS	S62	1	"5804116".pn.	USPAT
54	BRS	S63	1	S62 and graphite	USPAT
55	BRS	S64	25	(fuel adj cell\$2) and (separagor plate) and (graphite same filler same composition) and powder and fiber	USPAT
56	BRS	S65	27	(fuel adj cell\$2) and (separator plate) and (graphite same filler same composition) and powder and fiber	USPAT
57	BRS	S29	108	S24 and (Separator endplate biplate plate collector interconnect\$3 Bipolar support) and ((graphite same (powder\$2 and fibre\$2) particle\$2 filler\$2)) and (plastic polymer\$2) and surface and mold\$3 and (machining or machined) and (machined or machining grind\$3 sand\$3 polish\$3) and thick\$4	US-PGPUB; USPAT; USOCR
58	BRS	S30	1	S24 and (Separator endplate biplate plate collector interconnect\$3 Bipolar support) and ((graphite same (powder\$2 and fibre\$2) particle\$2 filler\$2)) and (plastic polymer\$2) and surface and mold\$3 and (machining or machined) and (machined or machining grind\$3 sand\$3 polish\$3) and thick\$4 and (machin\$4 same resistivity same reduc\$5)	US-PGPUB; USPAT; USOCR

	Type	Ref #	Hits	Search Text	DBs
59	BRS	S31	7	S24 and (Separator endplate biplate plate collector interconnect\$3 Bipolar support) and ((graphite same (powder\$2 and fibre\$2) particle\$2 filler\$2)) and (plastic polymer\$2) and surface and mold\$3 and (machining or machined) and (machined or machining grind\$3 sand\$3 polish\$3) and thick\$4 and (machin\$4 same resistivity)	US-PGPUB; USPAT; USOCR
60	BRS	S32	1517	429//38	US-PGPUB; USPAT; USOCR
61	BRS	S34	1166	429//39	US-PGPUB; USPAT; USOCR
62	BRS	S35	1	S34 and (Separator endplate biplate plate collector interconnect\$3 Bipolar support) and ((graphite same (powder\$2 and fibre\$2) particle\$2 filler\$2)) and (plastic polymer\$2) and surface and mold\$3 and (machining or machined) and (machined or machining grind\$3 sand\$3 polish\$3) and thick\$4 and (machin\$4 same resistivity)	US-PGPUB; USPAT; USOCR
63	BRS	S36	1160	429//42	US-PGPUB; USPAT; USOCR

	Type	Ref #	Hits	Search Text	DBs
64	BRS	S38	25	S36 and (Separator endplate biplate plate collector interconnect\$3 Bipolar support) and ((graphite same (powder\$2 and fibre\$2) particle\$2 filler\$2)) and (plastic polymer\$2) and surface and mold\$3 and (machining or machined) and (machined or machining grind\$3 sand\$3 polish\$3) and thick\$4	US-PGPUB; USPAT; USOCR
65	BRS	S39	39	S34 and (Separator endplate biplate plate collector interconnect\$3 Bipolar support) and ((graphite same (powder\$2 and fibre\$2) particle\$2 filler\$2)) and (plastic polymer\$2) and surface and mold\$3 and (machining or machined) and (machined or machining grind\$3 sand\$3 polish\$3) and thick\$4	US-PGPUB; USPAT; USOCR